CONTROLLING THE HIV EPIDEMIC WITH

ANTIRETROVIRALS



Optimizing our Response: Addressing gaps in the treatment cascade

From Diagnosis to Undetectable: The Reality of HIV/AIDS Care in the Inner City.

del Rio C, Green S, Abrams C, Lennox JL, 8th CROI; 2001 (Abstract #S21)

- HIV-infected in care and long term treatment
 - In clinic regularly/ many on ARV's and suppressed
- HIV-infected in sporadic care
 - They come and go from care/ some have been on ARV's
- HIV-infected not in care
 - Not ready for care or do not want care
- HIV-infected unaware of status

"Piot's Pyramid" of HIV/AIDS in the US

5 Million engage in behaviors that put them at high risk (3.5% of US population)¹

650,000 - 900,000 living with HIV²

480,000 - 540,000 know they are infected

292,000 - 372,000 in care³

- 1. JAIDS 1999; 21:148-156
- 2. JAMA 1996; 276; 126-31
- 3. NEJM 1998; 339:1897-904
- 4. Ann Intern Med 1999; 131: 81-87

175,000 - 223,000 on HAART³

70,000 - 90,000

suppressed⁴

~ 10% of those living with HIV virologically suppressed




The Spectrum of Engagement in HIV Care and its Relevance to Test-and-Treat Strategies for Prevention of HIV Infection

Edward M. Gardner, Margaret P. McLees, John F. Steiner, Carlos del Rio,

and William J. Burman

Clinical Infectious Diseases. 2011;52:793-800




Stage of Engagment in HIV Care

~ 19% of HIV-infected are virologically suppressed

The Spectrum of Engagement in HIV Care and its Relevance to Test-and-Treat Strategies for Prevention of HIV Infection

Edward M. Gardner, 1,3 Margaret P. McLees, 1,3 John F. Steiner, 2 Carlos del Rio, 4,5 and William J. Burman 1,3

¹Denver Public Health and ²Kaiser Permanente Colorado, Denver, ³University of Colorado Denver, Aurora, Colorado, and ⁴Rollins School of Public Health of Emory University, and ⁵Emory Center for AIDS Research, Atlanta, Georgia



JONATHAN MERMIN & JANE ANDERSON