

Bruce Richman, Ed.M, JD









What is U=U?



Undetectable = Untransmittable.

People living with HIV who take their medications as prescribed and undetectable* viral load will not transmit HIV to sexual partners.

THIS IS A GAME CHANGER.

*under 200 copies/ml (viral suppression)





In 1996 we learned effective treatment would **save our lives**.

Now know we cannot transmit HIV to our sexual partners.



THIS IS A GAME CHANGER.















HIV stigma: personal, community, clinical, & policy









HIV stigma: personal, community, clinical, & policy



Testing, treatment uptake, adherence, & retention in care









HIV stigma: personal, community, clinical, & policy



Testing, treatment uptake, adherence, & retention in care



Public health argument for universal access













The most effective strategy to improve lives of people with HIV <u>and</u> bring us closer to ending the epidemic.

Study	Study details	Results	Date	Reference
San Francisco cohort	Clinical results from small cohort of HIV positive women using triple ART during pregnancy.	Transmission from mother to baby was reduced to approaching zero.	1998	Beckerman K et al. [3]
DHHS guidelines	Expert opinion included in evidence- based guidelines.	Theoretical plausibility of reducing transmission risk was used as a factor for early ART.	1998	DHHS guidelines. [4]
Ugandan cohort (Rakai)	Prospective observational cohort in ~ 400 serodifferent couples.	Zero transmissions when viral load was less than 1500 copies/mL.	2000	Quinn TC et al. [5]
Spanish cohort		Zero transmissions in couples where the HIV positive partner was on ART with undetectable viral load. Cautions emphasised good adherence and no STIs.	5	Castella A et al. [6]
Swiss Statement	Expert opinion and evidence review of >25 smaller studies looking at impact of ART on risk factors for HIV transmission.	Concluded that transmission would not occur undetectable with viral load.	2008	Vernazza P et al. [7]
HPTN 052	1763 serodifferent heterosexual couples randomised to immediate or deferred ART.Although condom use was high the impact of ART was highly significant.	All infections occurred in people with detectable viral load: n=17 in the deferred ART group and one early infection in the ART group before VL was undetectable. Follow-up reported out to four years.		Cohen M et al. [8, 9]
PARTNER	Prospective observational European study in ~900 serodifferent couples who were not using condoms.	Final results reported zero transmissions after more than 58,000 times couples had sex without condoms when viral load was undetectable <200 copies/mL.	2014 (interim).2016 (final))	Rodgers A et al. [10, 11]
Opposites Attract	Prospective observational study in 358 serodifferent gay male couples in Australia, Thailand and Brazil.	Zero transmissions when viral load was undetectable <200 copies/mL.	2017	Grulich A et al. [12]
PARTNER2	Extension of PARTNER study to collect additional follow-up in gay male couples.	Study is fully recruited and still ongoing (2014–2017).	Expected 2018.	[13] i-base





<u>TasP</u>

- Pioneered in 2006 by Dr. Julio Montaner
- Foundation of U=U
- Using HIV treatment to lower the risk of transmission

<u>U=U</u>

- Pioneered in 2016 by a community of HIV activists, researchers, and AIDS organizations to easily convey the science
- Descriptive, prescriptive, and empowering

Source: The Well Project

The critical studies





HTPN 052 (2011/2016)



PARTNER (2014/2016)

+ <u>Opposites Attract</u> (2015/2017)

=nearly 80,000 acts of sex without condoms

And empirical evidence.

ZERO

transmissions


between people
living with HIV on
ART with an
undetectable viral
load and their HIVnegative partners.

PARTNER



PARTNER
58,000
Sex acts without condoms

What's the risk?



Source: Professor Edwina J. Wright, Burnet Institute; ASHM



The science gap
























The public learns from HIV info providers with potential:

- lack of access to accurate information
- lack of expertise, authority, and disposition to draw a conclusion
- lack of communication skills to transfer knowledge to
- paternalism, prejudice, and intersectional stigma




The science gap





















June 19, 1865, announcement of the abolition of slavery and emancipation of enslaved African-Americans throughout the former Confederacy of the southern United States.







The science gap

















Historic and highly controversial message that change the lives people with HIV and their partners

without a caretaker.



Movement



Bringing science to the people



Create a consensus of global experts



Recruit influential people and partners



Disseminate the message through a **network of partnerships**




Bringing science to the people









RISK OF SEXUAL TRANSMISSION OF HIV FROM A PERSON LIVING WITH HIV WHO HAS AN UNDETECTABLE VIRAL LOAD

Endorsements Updated: January 28, 2018 baued: July 21, 2016

Messaging Primer & Consensus Statement x's Note 1/10/18. The term "negligible" is not effective in public health messaging to describe the risk of HIV sexual transmission or a name or not not not make any regginguary to more unreasone in passas, received including you undersoon the raw or the abstract are extracted as a person with HIV has an understable, viral load and is taking ART as prescribed. "Mosfigible" is often misconstruid as still a risk to a person with fire has an unperiodicable limit load and is taking ART as prescribed. A registable is dren misconstruct as shill a risk to into consideration in sexual and reproductive health decisions. Please see the messaging guide with examples of the words used in its health messaging to convey the risk including "effectively no risk", "cannot transmit" and "do not transmit." It is importative that seasor measurers to turning the risk increasing extractively no nax , cannot transmit and up not transmit. It is importante that ? installs confidence rather promote unnecessary fear about sexual transmission when a person with HIV has an undetectable viral

ere is now evidence-based confirmation that the risk of HIV transmission from a person living with HIV (PLHIV), who is grie is now evidence-based commission that the risk of this denomission from a person living wat this or critic, w Antiretroviral Therapy (ART) and has achieved an undetectable viral load in their blood for at least 6 months is Annewowns melay (ART) and has achieved an undecedable with load in their blood for at least 6 mior. Spligible to non-existent. (Negligible is defined as: so small or unimportant as to be not worth considering. regime to increase the vegging one is defined as, so small or animportant as to be not worst considering.

The second while HIV is not always transmitted even with a detectable viral load, when the partner with HIV has an ndetectable viral load this both protects their own health and prevents new HIV infections.[1]

lowever, the majority of PLHIV, medical providers and those potentially at risk of acquiring HIV are not aware of the owever, the majority of PuHIV, medical providers and those potentially at risk of acquiring HIV are not aware of the altern to which successful treatment prevents HIV transmission.[iii] Much of the messaging about HIV transmission risk is based on outdated research and is influenced by agency or funding restraints and politics which perpetuate sex-line activity. HIV-related stioms and discrimination. negativity, HIV-related stigms and discrimination.

The consensus statement below, addressing HIV transmission risk from PLHIV who have an undetectable viral load, is The consensus statement below, addressing HIV transmission risk from PLHIV who have an undetectable viral load, is endorsed by principal investigators from each of the leading studies that examined this issue. It is important that PLHIV, their intimate partners and their healthcare providers have accurate information about risks of sexual transmission of HIV transmission states and their healthcare providers have accurate information about risks of sexual transmission of HIV transmission states.

At the same time, it is important to recognize that many PLHIV may not be in a position to reach an undetectable status At the same time, it is important to recognize that many PLHIV may not be in a position to reach an undetectable status because of factors limiting treatment access (e.g., inadequate health systems, poverty, radism, denial, stigma, discrimination, and criminalization), pre-existing ART treatment resulting in resistance or ART toxicities. Some may choose not to be treated or may not be ready to start treatment.

Understanding that successful ART prevents transmission can help reduce HIV-related stigma and encourage PLHIV to initiate and adhere to a successful treatment regimen.

- r. Michael Brady Medical Director of Terrence Higgins Trust and Consultant HIV Physician, London, UK

 Myron Cohen Principal Investigator, HPTN 052 Chief, Division of Infectious Diseases, UNC School of Medicine, The following statement has been endorsed by:
- NOTE CARONINA, USA.

 Dr. Demetre C. Dasialakis, MPH Assistant Commissioner, Bureau of HIV/AIDS Prevention and Control New York City
 Department of Health and Mental Hygiene, New York, USA
 Department of Health and Mental Hygiene, New York, USA
 Department of Health and Mental Hygiene, New York, USA
 Department of Health and Mental Hygiene, New York, USA

- Department of Health and Mental Hygiene, New York, USA

 Dr. Andrew Grulion Principal Investigator, Opposites Attract; Head of HIV Epidemiology and Prevention Program,


 Kirby Institute, University of New South Wales, Australia

 R. Jens Lundgren Co-principal Investigator, PARTINER, Professor, Department of Infectious Diseases, Rigshospitalet,

 University of Copenhagen, Denmark

 Dr. Mona Loutfy, MPH Lead surbor on Canadian appropriate.
- University of Copennagen, Denmark,

 Dr. Mona Louth, MPH Lead author on Canadian consensus statement on HIV and its transmission in the context of the criminal law. Associate Professor, Division of Infactious Diseases, Women's College Hospital, University of Toronto, the criminal law. Associate Professor, Division of Infactious Diseases, Women's College Hospital, University of Toronto, and the criminal law. Dr. Julio Montaner Director of the British Columbia Centre for Excellence in HIV/AIDS; Director of IDC and Physician
- Troy and Uniform training the Committee, PARTNER, Burbor, Swiss Statement 2008, Update 2016; Chief of the Dr. Pietro Vernatta Executive Committee, PARTNER, Burbor, Swiss Statement 2008, Update 2016; Chief of the Committee Co NOTIFIE OF VEHICLES - ENGINEERS CHITTINGS, PARTINER, PAURINI, PRISS DUST Infectious Disease Division Cantonal Hospital in St. Gallen Switzerland




#UequalsU

The science is clear:
 Undetectable =
 Untransmittable.
 People living with
 HIV with a sustained
 undetectable viral
 load do not transmit
 the virus to others.













All of us here at CATIE, and indeed around the world, are celebrating the most significant development in the HIV world since the advent of effective combination therapy 20 years ago — people living with HIV with sustained undetectable viral loads can confidently declare to their sexual partners "I'm not infectious!" With or without a condom, if you're undetectable you won't pass along HIV!

This is an absolute **game-changer** and those who live with HIV can proudly share this information. At the same time, service providers working in HIV must get up to speed fast and share this far and wide with their communities.









The Undetectable = Untransmittable news must be shared widely with people with HIV and disseminated by medical providers, educators, and public health officials.

AIDS United recommends That providers and educators consistently share the message that new evidence demonstrates that a person living with HIV who has a sustained, undetectable viral load cannot sexually transmit HIV to another person.



#UEQUALSU | @PreventionAC

- **Blood on your hands**
- **False prophets**
- **Unethical**
- **►** Dishonest
- **Bullies**
- **Sexual predators**
- Activists who want to have sex without condoms so badly they lie about the science
- **™**U=U-so-white
- **™**Only for the 1%
- ◆ People could be sued if they support or fund U=U
- **►** Lacking science literacy





















the**well**project



















































Howard Brown

















Белорусское общественное объединение















on Male Health





act











TODO

MEJORA

POSITIVE CLIVING SOCIETY







+BODY POSITIVE>



LEGA ITALIANA PER LA LOTTA

CONTRO L'AIDS



NETWORK



Albany Damien Center ۶

AIDS Foundation East West











COCQ-SIDA

Membre de la Coalition

making a positive difference







Avert)



















OF AIDS ORGANISATIONS














































650+ ORGANIZATIONS 82 COUNTRIES | 25+ LANGUAGES



Argentina · Armenia · Australia · Austria · Azerbaijan · Bahamas · Belarus · Belgium · Bermuda · Brazil · Bulgaria · Cameroon · Canada · China · Colombia · Côte d'Ivoire · Cyprus · Czech Republic · Denmark · El Salvador · England · Estonia · Finland · France · Georgia · Germany · Ghana · Greece · Guatemala · Guyana · Hong Kong · India · Indonesia · Ireland · Israel · Italy · Japan · Kazakhstan · Kenya · Kosovo · Latvia · Liberia · Macedonia · Malaysia · Mauritius · Mexico · Moldova · Montenegro · Nepal · The Netherlands · New Zealand · Nigeria · Northern Ireland · Pakistan · Panama · Peru · The Philippines · Portugal · Romania · Russia · Scotland · Serbia · Singapore · Slovenia · South Africa · Spain · Sweden · Switzerland · Taiwan · Tanzania · Thailand · Tunisia · Turkey · Uganda · Ukraine · United States · Venezuela · Vietnam · Zambia · Zimbabwe









U=U Public Health Bodies

United States

- California Department of Health
- Chicago Department of Public Health
- Denver Public Health
- Houston Department of Health & Human Services
- Illinois Department of Health
- Jefferson County Board of Health
- Long Beach Health & Human Services
- Los Angeles County Commission on HIV
- Michigan Department of Health
- Minnesota Department of Health
- Nashville Metro Public Health Department
- NYC Department of Health
- New York State Department of Health
- Washington DC Department of Health

France and Australia

- City of Paris, France
- State of Victoria, Australia





CHICAGO

Metro Public Health Dept

CHICAGO DEPARTMENT OF PUBLIC HEALTH











#UEQUALSU | @PreventionAC

U=U























"Effectively No Risk" of Sexual HIV Transmission if Undetectable



Health

Benefits

Burials & Memorials

About VA

VA » Health Care » HIV/AIDS » Providers Home » Undetectable=Untransmittable

HIV/AIDS

Undetectable=Untransmittable: Effective HIV

Treatment Prevents HIV Transmission

HIV Meds Updates

Susa Coffey, MD, HIV InSite Medical Editor

December 14, 2017

In September 2017, the U.S. Centers for Disease Control and Prevention (CDC) officially recognized that suppressing HIV through antiretroviral therapy (ART) prevents sexual transmission of HIV. In a "Dear Colleague" letter, CDC officials said, "people who take ART daily as prescribed and achieve and maintain an undetectable viral load have effectively no risk of sexually transmitting the virus to an HIV-negative partner."

The statement recognizes the reality that Undetectable equals Untransmittable, or U=U. This enormously important CDC declaration will hopefully enable HIV-positive persons and their HIV-negative partners to make well-informed decisions about their sexual health, and encourage medical providers to confidently discuss effective antiretroviral therapy (ART) as an evidence-based means of preventing HIV transmission.

The statement recognizes the reality that Undetectable equals Untransmittable, or **U=U.** This enormously important CDC declaration will hopefully enable HIV-positive persons and their HIV-negative partners to make well-informed decisions about their sexual health, and encourage medical providers to confidently discuss effective antiretroviral therapy (ART) as an evidencebased means of preventing HIV transmission.

An <u>international U=U campaign</u>, backed by more than 525 community partners from 70 countries, is disseminating information about the effectiveness of treatment as prevention.


The Washington Post



U=U is "the campaign credited with beginning to change public perception of HIV transmissibility."









THE LANCET

U=U is a simple but hugely important campaign based on a solid foundation of scientific evidence. It has already been successful in influencing public opinion, causing more people with HIV (and their friends and families) to comprehend that they can live long, healthy lives, have children, and never have to worry about passing on their infection to others.

The CDC officially backing the science behind the campaign is another key step towards U=U being the most important message of 2017 in the fight against HIV.

#UEQUALSU | @PreventionAC

Tweets: NIH Office of AIDS Research & CDC Division of HIV/AIDS Prevention











Having an undetectable viral load for 6 months or more means it isn't possible to pass the virus on during sex. This is called undetectable=untransmittable (U=U), which can also be referred to as "treatment as prevention".



ART is now so effective that those who are treated and have an undetectable viral load (<200 copies) have levels of virus that are **untransmissible**, even if having sex without condoms.

This is sometimes referred to as **U=U** (undetectable= untransmissible).



BHEKISISA

Health stories from across Africa

We finally have enough credible scientific evidence from several strong studies to convince us beyond any reasonable doubt: effective treatment and viral load suppression prevent HIV transmission.


Globally, this concept has become known as 'Undetectable equals untransmittable' or U=U.

The South African health department has already followed the science and guidelines now advise regular HIV testing and allow people to start ART immediately to help people achieve U=U.

"As the UK's leading voice for HIV health professionals, our backing for U=U is unequivocal."



BHIVA Autumn Conference "As the UK's leading voice for HIV health professionals, our backing for U=U is unequivocal."









#LQVE POSITIVE







are the solution

Taking HIV medication daily suppresses the virus and means you can't pass it to others.

> #UequalsU DCTakesonHIV.com







#UequalsU #ScienceNotStigma



ZERO

PEOPLE ON EFFECTIVE **HIV TREATMENT CANNOT PASS** ON THE VIRUS.

FACT.



UNDETECTABLE UNTRASMITTABLE

U=U

UNDETECTABLE UNTRANSMITTABLE A PERSON LIVING WITH HIV WHO HAS AN UNDETECTABLE VIRAL LOAD DOES NOT PARTNERS.

DETECTABLE

TRANSMIT THE VIRUS TO THEIR

I A S &



HIV & AIDS - sharing knowledge, changing lives

"The scientific evidence is clear. Someone whose HIV is undetectable does not pose an infection risk to their sexual partners."

For information on HIV you can rely on: www.aidsmap.com

It's a fact


Undetectable equals untransmittable



The British HIV Association is proud to support the #UequalsU consensus statement of the Prevention Access Campaign

UNDETECTABLE = UNTRANSMITTABLE

UNDETECTABLE EQUALS UNTRANSMITTABLE





ЗАЕДНО Здружение за поддршка на луѓето живеат со XИВ-

San Francisco AIDS Foundation supports

thewellproject



NIET DETECTEERBAAR NIET OVERDRAAGBAAR

n=n

UNINFECTIOUS UNDETECTABLE

POSITIVE LITE.COM

Canada's Online HIV Magazine

NIY ⊙

The International AIDS Society is proud to endorse the U=U consensus statement of the Prevention Access Campaign.

IT'S A FACT: Undetectable =

> People living with HIV, who are taking effective treatment, cannot pass on HIV through sex.

Untransmittable

Undetectable equals untransmittable



Taiwan Lourdes Association is proud to support the #

醫德協會非常荣幸地成為全球連著U=U倡議的成員之一



HIV BELIRLENEMIYORSA



If your viral load is undetectable, it means you can't pass HIV to others. Treatment = Prevention! on.nyc.gov/ staysure #PlaySure #TasP

Undetectable = Untransmittable

non rilevabile = non trasmissibile

#UequalsU

My viral load is

undetectable

that means I can't

sexually pass it

nycHealthy 3

Undetectable=Untransmittable! #UequalsU

The science is clear: People living with HIV, who are on effective treatment. do not transmit HIV to sexual partners.



AM UNDETECT

ALCANZAR





UNDETECTABLE = UNTRANSMITTABLE Undeniable. Unifying.



We must embrace U=U to eliminate the stigma associated with treating people living with HIV as 'vectors of disease.' Promoting the U=U message in clinical and community settings will also generate treatment demand and contribute to achieving HIV epidemic control.



José M. Zuniga, PhD, MPH
 IAPAC President/CEO

www.IAPAC.org



HIV & AIDS – sharing knowledge, changing lives

"The scientific evidence is clear. Someone whose HIV is undetectable does not pose an infection risk to their sexual partners." #UequalsU

For information on HIV you can rely on: www.aidsmap.com





UNDETECTABLE UNTRANSMITTABLE

A PERSON LIVING WITH HIV WHO HAS AN UNDETECTABLE VIRAL LOAD DOES NOT TRANSMIT THE VIRUS TO THEIR PARTNERS.

The International AIDS Society is proud to endorse the U=U consensus statement of the Prevention Access Campaign.




are the solution

Taking HIV medication daily suppresses the virus and means you can't pass it to others.









Undetectable **EQUALS** Untransmittable



health.mn.gov/uu








PASSING HIV CAN BE A THING OF THE PAST




A person taking HIV medication daily cannot pass the virus.

FOR MORE INFORMATION, PLEASE VISIT CODMAN.ORG/UEQUALSU









Free HIV & STI Testing at Mount Sinai, 275 7th Ave, 12th floor, or see our testing calendar here:



IT'S A FACT:

Undetectable = Untransmittable

People living with HIV, who are taking effective treatment, cannot pass on HIV through sex.



THE SCIENCE IS CLEAR:

People living with HIV, who are on effective treatment, do not transmit HIV to sexual partners.

It's a fact: U=U
Undetectable equals Untransmittable



#LetsEndStigma



StartsWithMe.org.uk

Produced by Terrence Higgins Trest for HEV PREVENTION ENGLAND. Street for



"We're living proof that HIV doesn't have to stop you finding love. I'm healthy and can't pass HIV onto Javier. Trevor, with his partner Javie







one HIV positive and on treatment.

58,000 acts of sex without condoms



PEOPLE ON EFFECTIVE HIV TREATMENT CANNOT PASS ON THE VIRUS.


FACT.

















WHAT DOES UNDETECTABLE MEAN?





Avert

 There is no risk of passing on HIV if your doctor has confirmed that you are undetectable (or virally suppressed), you continue taking your treatment and attend regular viral load monitoring appointments.




FAST FACTS:


- A person living with HIV is considered to have an 'undetectable' viral load when antiretroviral treatment has brought the level of virus in their body to such low levels that blood tests cannot detect it.
- There is no risk of passing on HIV if your doctor has confirmed that you are undetectable (or virally suppressed), you continue taking your treatment and attend regular viral load monitoring appointments.
- Being undetectable isn't a constant state and if you stop taking your medication then your viral load will go back up again.

10 HIV positive people on treatment in the EU/EEA achieved viral suppression

This means the virus is not detectable anymore and cannot be transmitted







FACT: People with HIV who are on treatment with an undectectable viral load cannot pass on HIV during sex.

Today's medications help people with HIV stay healthy and protect their sexual partners.

Learn more about U=U at www.preventionaccess.org







#UequalsU #ScienceNotStigma



B-B

"As Kırmızı Kurdele İstanbul (Red Ribbon Istanbul), we do activism on HIV in a society which even talking about sexuality is a high level taboo. This is why we give utmost importance to those scientific evidences that show HIV positive individuals with undetectable viral load are actually able to have a normal sexual life. Because all the explicit or implicit messages HIV positive individuals face refer they are dangerous for the others. But the results of the studies published in last two years tell us that, when viral load is undetectable with maintained medication, then it doesn't pose infection risk."





HIV BELİRLENEMİYORSA BULAŞTIRILAMAZ. MI?





BIL. ÖNEMSE. KORUN.







UNDETECTABLE = UNTRANSMITTABLE НЕДЕТЕКТАБИЛНО = НЕПРЕНОСЛИВО

Луѓето што живеат со ХИВ и имаат недетектабилно вирусно оптоварување не пренесуваат ХИВ при сексуален однос.



Здружение за поддршка на луѓето живеат со ХИВ -ЗАЕДНО ПОСИЛНИ Скопје






















検出限界以下は感染しない Undetectable=Untransmittable

治療によって血液中にHIVが見つからないレベル 「検出限界以下」の状態が6か月かそれ以上だと HIVはうつることはありません。

#UequalsU


#検出限界以下は感染しない

ハッシュタグで検索!

TOKYO RAINBOW PRIDE

NHS.UK "Your health, your choices" https://www.nhs.uk/conditions/hiv-and-aids/prevention.










Undetectable = Untransmittable

Podporujeme!







Připojujeme se k prohlášení Prevention Acces campagne. Které přináší informace s komentáři odborníků o tom, že riziko přenosu viru HIV z HIV pozitivní osoby, která užívá antiretrovirvou léčbu a na základě krevního testu má prokázanou nulovou (nezjistitelnou) virovou nálož po dobu alespoň 6 měsíců je zanedbatelné, nebo lépe řečeno neexistuje.





НЕТ НАГРУЗКИ - НЕТ ПЕРЕДАЧИ!


Исследования говорят о том, что если лечение работает, и вирусная нагрузка неопределяемая, ВИЧ не передается половым путем. Это не означает, что использовать презерватив больше не нужно, ведь существуют и другие инфекции. Но это значит, что если лечение эффективно, вы не рискуете здоровьем своего партнера! Обязательно прочитайте об этих исследованиях: http://bit.ly/2Eu9DUO






















Help Center > Sexual Health Resource > Resources (English)

What is Undetectable = Untransmittable (U=U)?

Science has confirmed that when a person living with HIV is undetectable, they're not only healthier, they also cannot pass HIV to anyone else. Or, Undetectable = Untransmittable (U=U).

This is a landmark development in the history of HIV. It means that people living with HIV who are undetectable have no reason to fear passing on the virus to sexual partners. People living with HIV are a part of the solution to ending HIV just by taking the medicine they take every day to stay healthy.

Check out www.uequalsu.org




















Despite the many advances in HIV care, the stigma associated with the virus continues to contribute to a fear of getting tested and seeking treatment after receiving a positive diagnosis. We support the U=U consensus statement and are grateful to the community that has joined together to harnes the power of science to shatter the stigma that stands in the way of those living with HIV.

Richard Nettles, Vice President, Medical Affairs, Infectious Diseases





NDETECTABLE = NTRANSMITTABLE

"For too long, people living with HIV have felt ostracized and isolated as a result of the fear-based myths surrounding HIV/AIDS. The science is clear, and we're glad to join more than 500 organizations in support of the U=U Consensus Statement. Interventions and the approach to HIV should be based on science – not stigma."

DAVID PIONTKOWSKY, VICE PRESIDENT HIV/HBV MEDICAL AFFAIRS



66

NAPO HAS BEEN AND CONTINUES TO BE AN ADVOCATE FOR THE HIV COMMUNITY AND THEIR HEALTHCARE PROVIDERS THROUGH OUR ENDORSEMENT

LISA CONTE, CEO, NAPO PHARMACEUTICALS







Best moment of the year for HIV awareness



On National Gay Men's HIV/AIDS Awareness Day, the Centers for Disease Control and Prevention (CDC) for the first time publicly agreed that someone with HIV who has an undetectable viral load cannot transmit the virus sexually. This was the culmination of the tireless work of advocates and activists who had been placing relentless pressure on the federal agency for years. In an unexpected letter on September 27, the CDC stated: "that people who take ART daily as prescribed and achieve and maintain an undetectable viral load have effectively no risk of sexually transmitting the virus to an HIV-negative partner."







Best Media Campaign for People Living With HIV:

"U=U" (Prevention Access Campaign)

Best HIV patient advocacy organization



Prevention Access Campaign's #UequalsU continues to be the biggest movement and news in 2017 in the HIV community. "U=U" stands for "Undetectable equals untransmittable." It's about spreading the message that those living with HIV who have an undetectable viral load for at least six months aren't capable of transmitting HIV to a sexual partner, even in the absence of condoms. Over the past 18 months, the campaign received more than 500 endorsements from international AIDS service organizations, government agencies, and leading and respected researchers.



POZ Awards 2017

Best Media Campaign for People Living With HIV:

"U=U" (Prevention Access Campaign)



National Institute of Allergy and Infectious Diseases | health information

10 Things To Know About **HIV Suppression**



Development of antiretroviral drugs to treat HIV has turned what was once an almost always fatal infection into a manageable chronic condition. Daily antiretroviral therapy can reduce the amount of HIV in the blood to levels that are undetectable with standard tests. Staying on treatment is crucial to keep the virus suppressed. NIAID-supported research has demonstrated that achieving and maintaining a "durably undetectable" viral load (the amount of HIV in the blood) not only preserves the health of the person living with HIV, but also prevents sexual transmission of the virus to an HIV-negative partner.

What is viral suppression?

Antiretroviral therapy keeps HIV from making copies of itself. When a person living with HIV begins an antiretroviral treatment regimen, their viral load drops. For almost everyone who starts taking their HIV medication daily as prescribed, viral load will drop to an undetectable level in six months or less. Continuing to take HIV medications as directed is imperative to stay undetectable.

What does it mean to be durably undetectable?


Taking antiretroviral therapy daily as prescribed to suppress HIV levels leads to an "undetectable" status. A person is considered to have a "durably undetectable" viral load if their viral load remains undetectable for at least six months after their first undetectable test result. It is essential to continue to take every pill every day as directed to maintain an undetectable viral load.

Does being durably undetectable mean that the virus has left my body?

Even when viral load is undetectable, HIV is still present in the body. The virus lies dormant inside a small number of cells in the body called viral reservoirs. When therapy is halted by missing doses, taking a treatment holiday, or stopping treatment, the virus emerges and begins to multiply, becoming detectable in the blood again. This newly reproducing virus is infectious. It is essential to take every pill every day as directed to achieve and maintain a durably undetectable status.

How does being durably undetectable affect my risk of transmitting HIV to a sexual partner?

People living with HIV who take antiretroviral medications daily as prescribed and who achieve and then maintain an undetectable viral load have effectively no risk of sexually transmitting the virus to an HIV-negative partner.



Русский ≽ Translate ▼ Text-Size

ealth	Services	Providers	Data	Business	Search	٩
N	Neighborhood Health		Emergency Prep		Publications	

HIV Undetectable = Untransmittable (U = U)

Medicines to treat HIV can eliminate the risk of sexual transmission. In August 2016, the New York City (NYC) Health Department agreed with other public health and medical organizations that people with HIV who maintain an undetectable viral load for at least six months do not transmit HIV through sex. In September 2017, the Centers for Disease Control and Prevention and the New York State Department of Health (PDF) agreed with this finding, which is known as "Undetectable = Untransmittable." or "U = U".

How does HIV treatment prevent HIV transmission?+

What does "undetectable" mean? +

How do we know that "Undetectable = Untransmittable"?+

How do I get my viral load to be undetectable?+

If I am HIV-negative, should I avoid having sex with people who have HIV?+

If my partner tells me they have an undetectable viral load, should we still use condoms?+

If I am on HIV treatment, should my partner be on PrEP?+


What else can I do to prevent getting or passing HIV and other STIs?+


More information

- Dear Colleague Letter to Providers on HIV Undetectable = Untransmittable (PDF)
- Information for Providers on HIV Undetectable = Untransmittable
- Prevention Access Campaign FAQ on U = U




Common concerns















U=U & HIV Criminalization

- Part of the modernization toolbox
- Defense/parole in individual cases <u>vs</u> the potential negative impact if leading argument in policy reform
- U=U advocates and those working in crim reform need clear guidance
- Disclosure laws





Key points in messaging – clarity

Minor word changes have a profound impact.

Be consistent and clear.

Reduce anxiety.

Increase the pleasure associated with adherence and retention in care.

"Might" "Low risk" "Just in case"

Vs.

"Won't" "No risk" "You don't need to worry"

Can't pass it on Don't transmit Effectively no risk Zero risk Prevents HIV

<u>Vs</u>.

Extremely unlikely Nearly impossible Almost no risk Close to zero Helps prevent



The "nuances" of the message



Take your meds as prescribed Stay in care

Details:


<200 copies/ml

Six months

Only sexual transmission

Part of the sexual health toolbox

Be mindful of the *viral divide*



Join the revolution!

Treat HIV stigma as a public health emergency and U=U as an effective response

- ✓ Communicate U=U loud and clear
- ✓ Sign on as a U=U Community Partner
- ✓ Conduct and support U=U research
- ✓ Conduct a forum, demonstration or march
- ✓ Join the movement on social media #UequalsU



















A THING OF THE PAST

person taking HIV medication daily

partners." For information on HIV you can rely on; www.aidunap.com #UequalvU

"The scientific evidence is clear. Someone whose HIV is

undetectable does not pose an infection risk to their sexual



A PERSON LIVING WITH HIV WHO HAS AN UNDETECTABLE VIRAL LOAD DOES NOT TRANSMIT THE VIRUS TO THEIR PARTNERS.

NIET DETECTEER NIET OVERDRAAG

NIU⊙



NEECTIOUS

ETECTABLE



THANK YOU!

www.uequalsu.org



#UequalsU

ON SONO CONTAGIOSO.

@UequalsU



@PreventionAC

#UequalsU

U=U Undetectable Equals Untransmittable

nam) aidsmap

HIV & AIDS - sharing knowledge, changing lives

Undetectable = Untransmittable

Podporujeme!




Přípojujeme se k prohlášení Prevention Acces campagne. Které přiváší informace s komentáří odbomíků o tom, že risko přenosu viru HIV z HIV antiretrovirvou léCbu a na základě krevního testu má prokázanou nulovou (nezdistitelinou) virovou nálaž po dobu alespoň 6 měsíců je zanedbatelné.



nebo lépe řečeno neexistuje.



Undetectable = Untransmittable JEQUALSU UNTRANSMITTE







Who is telling young people about U=U?

Not many young people know what U=U mean and those that do have not heard it from a doctor, a care provider or a physician.

They have heard from a pal or read it online.


Why is the message of hope not being given when it can clearly change lives?



Here is what some of the young people believe U=U means...


Zippy







Daisy





Laura



I think U=U in general is a great diagnosis for people living with HIV, a new ray of sunshine and hope for us to continue adhering properly to treatment, while at the same time enjoying our healthy lives and sexual lives without fear of transmission even to our children as women living with HIV.

What now needs to be done is to ensure U=U can reach the general public, the communities at the grassroots level where stigma is most, to break the myth that a PLHIV is always infectious and susceptible/vulnerable/weak to infections and diseases!



Consolata





Gracy



My undetectable viral load=zero transmission of HIV:- I do not know about you, but this words brings joy to my heart!! I feel like it's the best reward of me being adherent! Also my partner doesn't have to worry much if a condom bursts! hope the society will really embrace this. It is way to go to having a non -Stigmatization society!!!

Victor






Personally speaking when I got to know about the U=U, it was a great relief. I knew Stigma among. discordant couples will reduce and we all can marry whoever we want without the fear of transmission, of which we still need more sensitization



Brenda





What can we do?

- ✓ Make the message explode so it gets to the deepest parts
 of the country
- ✓ Provide simple educational materials on social media and in clinics
- ✓ Teach about viral load testing and what undetectable means for health and prevention
- ✓ Teach advocates to use U=U to argue for treatment and viral load testing
- ✓ Hold information providers accountable not just in Kenya but all over the world – UNAIDS, WHO



A THING OF THE PAST

person taking HIV medication daily

partners." For information on HIV you can rely on; www.aidunap.com #UequalvU

"The scientific evidence is clear. Someone whose HIV is

undetectable does not pose an infection risk to their sexual



A PERSON LIVING WITH HIV WHO HAS AN UNDETECTABLE VIRAL LOAD DOES NOT TRANSMIT THE VIRUS TO THEIR PARTNERS.

NIET DETECTEER NIET OVERDRAAG

NIU⊙



NEECTIOUS

ETECTABLE



THANK YOU!

www.uequalsu.org



#UequalsU

ON SONO CONTAGIOSO.

@UequalsU



@PreventionAC

#UequalsU

U=U Undetectable Equals Untransmittable

nam) aidsmap

HIV & AIDS - sharing knowledge, changing lives

Undetectable = Untransmittable

Podporujeme!



Přípojujeme se k prohlášení Prevention Acces campagne. Které přiváší informace s komentáří odbomíků o tom, že risko přenosu viru HIV z HIV antiretrovirvou léCbu a na základě krevního testu má prokázanou nulovou (nezdistitelinou) virovou nálaž po dobu alespoň 6 měsíců je zanedbatelné.



nebo lépe řečeno neexistuje.



Undetectable = Untransmittable JEQUALSU UNTRANSMITTE