



HIV NURSING 2022



HOSTED BY:
IAAC
INTERNATIONAL ASSOCIATION
OF PROVIDERS OF AIDS CARE

September 15-16, 2022 • Virtual

Business Unusual- The role of differentiate service delivery in achieving 95-95-95


Susan Michaels-Strasser

Background

- Application of a public health approach has allowed the successful scale up of HIV prevention, care and treatment services
- Many countries are close to achieving HIV epidemic control and eMTCT



Population Health Impact Assessments (PHIA)



[PHIA Project - Guiding the Global HIV Response
\(columbia.edu\)](https://www.columbia.edu/~phia/)






[This Photo](#) by Unknown Author is licensed under [CC BY-SA-NC](#)

Assess Reflect Respond



Differentiated Service Delivery (DSD)



The screenshot shows the top navigation bar of the ICAP Health website. The header includes the ICAP Health logo and the text "The CQUIN Project for Differentiated Service Delivery". Below the header is a navigation menu with links: "About CQUIN", "Network Countries", "Country to Country Learning", "Network Focus Areas", and "News and Events". A search icon is located on the right. The main content area features a large image of a group of people. Overlaid on the left side of the image is a text box that reads: "The scale-up of HIV treatment has saved millions of lives across sub-Saharan Africa". On the right side, the title "Differentiated Service Delivery" is displayed in large white text, followed by a paragraph: "Differentiated service delivery (DSD) is a person-centered approach to HIV service delivery. Moving away from a one-size-fits-all model, DSD tailors HIV services to diverse groups of people living with HIV while maintaining the principles of the public health approach." A green button labeled "LEARN MORE" is positioned at the bottom right of the text area.

ICAP Health | The CQUIN Project for Differentiated Service Delivery

About CQUIN Network Countries Country to Country Learning Network Focus Areas News and Events

The scale-up of HIV treatment has saved millions of lives across sub-Saharan Africa

Differentiated Service Delivery

Differentiated service delivery (DSD) is a person-centered approach to HIV service delivery. Moving away from a one-size-fits-all model, DSD tailors HIV services to diverse groups of people living with HIV while maintaining the principles of the public health approach.

[LEARN MORE](#)

What

What clinical, laboratory, and psychosocial services are needed?

- ART initiation & refills
- Clinical monitoring
- Adherence support
- Laboratory tests
- Treatment of opportunistic infections
- Psychosocial support

Where

Where are services being provided?

- HIV clinic or hospital
- Primary care clinic
- Community
- Home

**SERVICE
INTENSITY**

**SERVICE
FREQUENCY**

**PEOPLE
LIVING
WITH HIV**

**SERVICE
LOCATION**

**HEALTH
WORKER
CADRE**

When

How often are services provided?

- Monthly
- Bimonthly
- Every three months
- Every six months

Who

Who is providing HIV services?

- Physician
- Clinical officer
- Nurse
- Pharmacist
- Community health worker
- Patient, peers, and family



Thank you!

For further information on ICAP and the CQUIN Project, please visit us at

[ICAP at Columbia University](https://icap.columbia.edu)

<https://icap.columbia.edu>

and

[The Differentiated Service Delivery Approach | CQUIN \(columbia.edu\)](https://columbia.edu/cquinq)